ELSEVIER

Journal of Orthopaedic Research 19 (2001) 1214–1216

Journal of Orthopaedic Research

www.elsevier.com/locate/orthres

Volume 19, 2001

AUTHOR INDEX

Aalkjær C, 104, 391
Abate JA, 841
Abrahamsson S-O, 143
Ackermann PW, 372
Adams ME, 650
Adem A, 1008
Aeschlimann, D, 565
Ahluwalia S, 659
Ahmed M, 372
Aigner T, 478
Aizawa T, 785
Akahane M, 559
Akhter MP, 328
Akkus O, 927
Albers GHR, 301
Aldini NN, 955
Alfredson H, 881
Allen MJ, 1153
Allen RG, 242
Alosa DM, 213
Alper Kilic B, 171
Amadio PC, 580
Amiel D, 500, 802
Amorena B, 820
An KN, 206, 524
An K-N, 580
An YH, 545
Aoki M, 873
Arai Y, 548
Aronson J, 64, 421
Asada S, 126
Asp J, 149
Atkinson PJ, 827
Awiszus F, 160
Ayers DC, 1153
Ayers RA, 518
Ayotte DC, 1073

Badger GJ, 1178
Badger TM, 64, 421
Baer AE, 2
Balkman CE, 720
Banes AJ, 729
Bank RA, 1021
Banks DM, 428
Barrach HJ, 677, 1049
Bateman TA, 518
Baumhauer JF, 213
Bay BK, 906
Beaupré GS, 1067
Bent SJ, 738, 759
Berger RA, 614
Berglund LJ, 524
Berzins A, 1162
Best TM, 565
Beynnon BD, 213, 841, 1178, 1185
Bhaktav NR, 11
Bi Y, 171
Billetz AC, 650
Birch HL, 1035
Block JA, 149
Bloom SE, 703
Blunk T, 1098
Bobyn JD, 195
Bodor M, 337, 629
Boehm CA, 117
Bonél H, 1192
Bonassar LJ, 11
Bonfield W, 414
Borden C, 703
Bouré L, 250
Bowley DMG, 155
Boyan BD, 179
Boyer MI, 869
Brand R, 993
Brand RA, 286
Braunstein S, 665
Bravenboer N, 945
Bray RC, 384
Breinan HA, 482
Brice Weinberg J, 729
Britt DE, 677
Broom ND, 1131
Brower-Toland BD, 26, 738, 759
Bruckner P, 531
Bryant JT, 887
Bünger C, 104
Burger EH, 301
Burns M, 1199
Burton-Wurster N, 688, 703
Bush PG, 768

Calbet JAL, 229
Caliceti P, 955
Caprise PA, 858
Carlson CS, 634
Carter DR, 1067
Carter JR, 171
Caruso EM, 278
Cha C-J, 677
Cha SH, 712
Chao CCK, 696
Chao EYS, 834
Chen AC, 1113
Chen C-T, 703
Chen DHC, 43
Chen P-Q, 57
Cheng DM, 1140
Chillemi C, 398
Churchill DL, 1185
Claes L, 286
Clark JM, 505
Clark RT, 365
Clasper JC, 155
Clohisy DR, 554
Corr DT, 565
Cosgarea AJ, 834
Côté CH, 1203
Crosby KE, 621
Crystal RG, 751
Cullen DM, 328
Dahners LE, 858
Damron LA, 1153
David Eick J, 1043
Davila SG, 11
Davis A, 50
Day JS, 914
De Deyne PG, 897
Dean DD, 179
Derwin KA, 269
Di Cesare PE, 634
Diao E, 70
Díaz-Herrera, P 229
DiMicco MA, 1105
Ding M, 914
Diwan A, 136
Do PD, 1043
Doizé B, 250
Drake TA, 511
D'Souza M, 18
Dunbar AM, 587
Dunstan CR, 518
Dutkowsky JP, 815
Dvoracek-Driksna D, 779

Easley KA, 117
Eckstein F, 1192
Edward Puzas J, 18
Edwards III RB, 318, 990
Ehrlich MG, 1049
Eid K, 962
Einhorn TA, 339, 785, 935
El-Bakri NK, 1008
Elias JJ, 834
Elisseeff J, 1098
Elizabeth Pluhar G, 308
Eng MK, 384
Engelbregt MJT, 945
Englmeier K-H, 1192
Eppell SJ, 1027
Evans CH, 759
Ewers BJ, 779

Fang C, 634
Fehm M, 659
Ferguson SJ, 887
Ferguson VL, 518
Fermor B, 729
Fini M, 955
Fink B, 665
Finn A, 372
Finnanger AM, 265
Fitzimmons JS, 95
Fitzsimmons JS, 405
Flachsmann R, 1131
Flahiff CM, 64
Fleming BC, 841, 1178
Fleming JA, 539
Fleming BC, 1185
Foos MJ, 642
Forman A, 391
Forsgren S, 881
Fortier LA, 720, 738
Frank CB, 845
Frank EH, 11
Franzén LE, 441
Freed LE, 1089
Frenette J, 1203
Fu K, 1098
Fubini SL, 688
Fujikawa K, 573
Fukuda A, 456
Fukuda H, 448, 573, 862
Fukuda K, 126
Fukui N, 132, 456

Gafni A, 50
Galante JO, 85
Gao GG, 64, 421
García-Castellano JM, 229
García-Álvarez F, 820
Gaschen V, 365
Gaya OA, 1122
Gehrsitz A, 478
Gelberman RH, 869
Gerstenfeld LC, 785
Giardino R, 955
Giavaresi G, 955
Gibson GJ, 33
Gigante A, 294, 398
Glimcher MJ, 1027
Glisson R, 359
Glowacki J, 962
Goei SW, 301
Goel VK, 977
Goldberg VM, 171
Gondo T, 605
Goodman SB, 970
Goodship AE, 1035
Goomer RS, 802
Goto K-i, 935
Gotoh M, 448, 862
Grässel S, 531
Gracia E, 820
Graichen H, 1192
Greenfield EM, 171
Greisberg JK, 797
Grimsrud CD, 18
Grodzinsky AJ, 11, 1140
Grood ES, 286
Gross AE, 50
Gruber HE, 985
Grynpas M, 1078
Guilak F, 359, 729

Halder AM, 206
Hall AC, 768
Hamada K, 448, 573, 862
Hamada T, 809
Hamanishi C, 126
Handa A, 448, 862

PII: S0736-0266(01)00162-0

ELSEVIER

Journal of Orthopaedic Research 19 (2001) 1214–1216

Journal of Orthopaedic Research

www.elsevier.com/locate/orthres

Volume 19, 2001

AUTHOR INDEX

Aalkjær C, 104, 391
Abate JA, 841
Abrahamsson S-O, 143
Ackermann PW, 372
Adams ME, 650
Adem A, 1008
Aeschlimann, D, 565
Ahluwalia S, 659
Ahmed M, 372
Aigner T, 478
Aizawa T, 785
Akahane M, 559
Akhter MP, 328
Akkus O, 927
Albers GHR, 301
Aldini NN, 955
Alfredson H, 881
Allen MJ, 1153
Allen RG, 242
Alosa DM, 213
Alper Kilic B, 171
Amadio PC, 580
Amiel D, 500, 802
Amorena B, 820
An KN, 206, 524
An K-N, 580
An YH, 545
Aoki M, 873
Arai Y, 548
Aronson J, 64, 421
Asada S, 126
Asp J, 149
Atkinson PJ, 827
Awiszus F, 160
Ayers DC, 1153
Ayers RA, 518
Ayotte DC, 1073

Badger GJ, 1178
Badger TM, 64, 421
Baer AE, 2
Balkman CE, 720
Banes AJ, 729
Bank RA, 1021
Banks DM, 428
Barrach HJ, 677, 1049
Bateman TA, 518
Baumhauer JF, 213
Bay BK, 906
Beaupré GS, 1067
Bent SJ, 738, 759
Berger RA, 614
Berglund LJ, 524
Berzins A, 1162
Best TM, 565
Beynnon BD, 213, 841, 1178, 1185
Bhaktav NR, 11
Bi Y, 171
Billetz AC, 650
Birch HL, 1035
Block JA, 149
Bloom SE, 703
Blunk T, 1098
Bobyn JD, 195
Bodor M, 337, 629
Boehm CA, 117
Bonél H, 1192
Bonassar LJ, 11
Bonfield W, 414
Borden C, 703
Bouré L, 250
Bowley DMG, 155
Boyan BD, 179
Boyer MI, 869
Brand R, 993
Brand RA, 286
Braunstein S, 665
Bravenboer N, 945
Bray RC, 384
Breinan HA, 482
Brice Weinberg J, 729
Britt DE, 677
Broom ND, 1131
Brower-Toland BD, 26, 738, 759
Bruckner P, 531
Bryant JT, 887
Bünger C, 104
Burger EH, 301
Burns M, 1199
Burton-Wurster N, 688, 703
Bush PG, 768

Calbet JAL, 229
Caliceti P, 955
Caprise PA, 858
Carlson CS, 634
Carter DR, 1067
Carter JR, 171
Caruso EM, 278
Cha C-J, 677
Cha SH, 712
Chao CCK, 696
Chao EYS, 834
Chen AC, 1113
Chen C-T, 703
Chen DHC, 43
Chen P-Q, 57
Cheng DM, 1140
Chillemi C, 398
Churchill DL, 1185
Claes L, 286
Clark JM, 505
Clark RT, 365
Clasper JC, 155
Clohisy DR, 554
Corr DT, 565
Cosgarea AJ, 834
Côté CH, 1203
Crosby KE, 621
Crystal RG, 751
Cullen DM, 328
Dahners LE, 858
Damron LA, 1153
David Eick J, 1043
Davila SG, 11
Davis A, 50
Day JS, 914
De Deyne PG, 897
Dean DD, 179
Derwin KA, 269
Di Cesare PE, 634
Diao E, 70
Díaz-Herrera, P 229
DiMicco MA, 1105
Ding M, 914
Diwan A, 136
Do PD, 1043
Doizé B, 250
Drake TA, 511
D'Souza M, 18
Dunbar AM, 587
Dunstan CR, 518
Dutkowsky JP, 815
Dvoracek-Driksna D, 779

Easley KA, 117
Eckstein F, 1192
Edward Puzas J, 18
Edwards III RB, 318, 990
Ehrlich MG, 1049
Eid K, 962
Einhorn TA, 339, 785, 935
El-Bakri NK, 1008
Elias JJ, 834
Elisseeff J, 1098
Elizabeth Pluhar G, 308
Eng MK, 384
Engelbregt MJT, 945
Englmeier K-H, 1192
Eppell SJ, 1027
Evans CH, 759
Ewers BJ, 779

Fang C, 634
Fehm M, 659
Ferguson SJ, 887
Ferguson VL, 518
Fermor B, 729
Fini M, 955
Fink B, 665
Finn A, 372
Finnanger AM, 265
Fitzimmons JS, 95
Fitzsimmons JS, 405
Flachsmann R, 1131
Flahiff CM, 64
Fleming BC, 841, 1178
Fleming JA, 539
Fleming BC, 1185
Foos MJ, 642
Forman A, 391
Forsgren S, 881
Fortier LA, 720, 738
Frank CB, 845
Frank EH, 11
Franzén LE, 441
Freed LE, 1089
Frenette J, 1203
Fu K, 1098
Fubini SL, 688
Fujikawa K, 573
Fukuda A, 456
Fukuda H, 448, 573, 862
Fukuda K, 126
Fukui N, 132, 456

Gafni A, 50
Galante JO, 85
Gao GG, 64, 421
García-Castellano JM, 229
García-Álvarez F, 820
Gaschen V, 365
Gaya OA, 1122
Gehrsitz A, 478
Gelberman RH, 869
Gerstenfeld LC, 785
Giardino R, 955
Giavaresi G, 955
Gibson GJ, 33
Gigante A, 294, 398
Glimcher MJ, 1027
Glisson R, 359
Glowacki J, 962
Goei SW, 301
Goel VK, 977
Goldberg VM, 171
Gondo T, 605
Goodman SB, 970
Goodship AE, 1035
Goomer RS, 802
Goto K-i, 935
Gotoh M, 448, 862
Grässel S, 531
Gracia E, 820
Graichen H, 1192
Greenfield EM, 171
Greisberg JK, 797
Grimsrud CD, 18
Grodzinsky AJ, 11, 1140
Grood ES, 286
Gross AE, 50
Gruber HE, 985
Grynpas M, 1078
Guilak F, 359, 729

Halder AM, 206
Hall AC, 768
Hamada K, 448, 573, 862
Hamada T, 809
Hamanishi C, 126
Handa A, 448, 862

PII: S0736-0266(01)00162-0

Hanel DP, 505
Hankemeier S, 531
Hanley Jr. EN 985
Hannani K, 511
Hansen ES, 104, 391
Hansen VB, 391
Hara F, 126
Hara M, 113
Hardy AE, 1131
Hardy DM, 642
Hargens AR, 436
Harrow ME, 428
Harwood FL, 802
Hashimoto S, 500, 802
Hastreiter D, 597
Haugh LD, 1185
Haut RC, 779, 827
Hawkins M, 85
Hayashi K, 318, 990
Hayatsu K, 897
Hayes WC, 200
Heiner JP, 308, 318, 990
Helms JA, 78
Hewitt J, 359
Hickox JR, 642
Hida S.-I, 70
Hidaka C, 751
Hill J, 858
Hiraoka K, 809
Hirasawa Y, 500, 548
Hogue WR, 64
Holtzman J, 50
Hsu H-P, 482
Hu D, 78
Hueffer K, 703
Hunziker EB, 242
Hunziker EB, 365
Hunziker E, 493
Hurtig M, 1078
Hvid I, 914
Hwan Lee Y, 448

Ikari N, 113
Ikenoue T, 259, 1013
Inami S, 593
Inerot S, 149
Ingels J, 815
Ingram J, 985
Inoue A, 809
Ionescu M, 250
Isefuku S, 950
Ishida H, 346
Ishii S, 873
Ito K, 887, 1073
Ito Y, 95, 405
Itoh K, 346
Iwamoto Y, 259, 1013
Izumi T, 259

Jaroszynski G, 50
Jay GD, 677
Jin M, 1140
Jingushi S, 259, 1013
Jinno T, 171
Jiranek WA, 852
Johnson D, 634
Johnson RJ, 1178
Jou I-M, 1147
Joyama S, 1085
Joyner CJ, 950

Kaar SG, 171
Kalscheur VL, 318, 990
Kanamiya T, 113
Kanchiku T, 605
Kandel RA, 1078
Kaneko K, 605
Kantor S, 195
Kärrholm J, 265, 1168
Kawai S, 605
Kawakami M, 472
Kaye SJ, 171
Keaveny TM, 1001
Keeping HS, 1049
Keller J, 993
Kenward CE, 155
Keyak JH, 539
Kiebzak GM, 428
Kijima H, 448
Kimmel DB, 328
Kimura JH, 269
Kinner B, 233
Kippers V, 463
Kirchner T, 478
Klein MJ, 339
Klein-Nulend J, 301
Knudson CB, 1122
Knudson W, 1122
Kobayashi K, 802, 862
Koibuchi N, 132
Kojima K, 456
Komiya S, 346, 809
Kon T, 785
Kondo S, 712
Köster G, 179
Krass K, 511
Kraus VB, 2
Kreicbergs A, 372
Kristiansen L, 265
Kroeber MW, 70
Kubo T, 500
Kuhn L, 1027
Kuiper J-H, 919
Kumagai M, 834
Kumaresan S, 977
Kuriyama K, 1085
Kurth AHA, 200
Kurtis MS, 1122
Kurz B, 1140

LaBerge M, 671
Lacey DL, 518
Laclériga A, 820
Lai K-A, 1147
Lakhani KH, 1035
Langer R, 1098
Lark MW, 1140
Laverty S, 250
Lawrence Katz J, 1027
Le AX, 78
Lee MS, 696
Lehman S, 436
Leiva J, 820
Leonard CA, 384
Leslie MP, 634
Lester GE, 858
Leven RM, 85
Leverson G, 565
Li C, 1013
Li J, 372
Liberti JP, 852
Liebenberg E, 70
Lin C-J, 1147
Lin D-L, 33
Lin J, 57
Lin J-H, 136
Lin S-J, 57
Lind M, 970
Lindahl A, 149
Lips P, 945
Liu Y, 179
Loboa EG, 1067
Lochemes JJ, 815
Loeser RF, 1122
Logroscino G, 294
Lohmann CH, 179
Lora S, 955
Lorentzon R, 881
Lotz M, 500, 802
Lou J, 869, 1199
Lumpkin Jr. CK, 64, 421
Lundgaard A, 104, 391
Lusis AJ, 511
Lust G, 703

Ma D, 985
MacLeod JN, 688
Maiman DJ, 977
Majeska RJ, 339
Manley PA, 308, 318, 990
Mann KA, 1153
Manske P, 1199
Manske PR, 869
Mansour PG, 642
Marcoux M, 250
Markel MD, 308, 318, 990
Markolf KL, 587
Marsolais D, 1203
Marti RK, 301
Martin DF, 428
Martin I, 1089
Martin SD, 659
Masatsune, 379
Matsukawa M, 126
Matsumoto F, 352
Matsumoto T , 472
Matsunaga K, 346
Mattessich SM, 834
Matyas JR, 650
Mauli Agrawal C, 1021
May Arna Risberg, 1185
McDevitt CA, 650
McGuinness A, 1057
McIntosh W, 1098
McKenna LA, 478
McKinley TO, 906
McKoy BE, 545
McLaren SG, 421
McPherson JM, 85
Meaney Murray M, 221, 659
Meguid SA, 187
Mello MA, 405
Meyer Jr., RA, 428
Mi Z, 759
Michael Kabo J, 511
Michel JT, 565
Miclau T, 78
Mikic B, 365
Miller MC, 614
Minas T, 482
Mink LM, 43
Miselli M, 398
Mishima H, 802
Misukonis MA, 729
Mita BC, 43
Miyaji T, 1085
Mizuno Y, 834
Mocarski R, 1153
Mollenhauer J, 1122
Monzón M, 820
Moore DC, 1049
Morcuende JA, 229
Moriya H, 379, 802, 935
Morrey BF, 206
Mukherjee N, 524
Murakami G, 873
Murata Y, 379
Murayama K, 346
Murray RC, 1035
Murrell GAC, 136
Murthy G, 436
Muschler GF, 117
Mustafa A, 1008
Myoui A, 1085

Naito M, 113
Nakajima F, 935
Nakajima K, 456
Nakajima T, 573
Nakamura K, 456
Nakamura M, 448
Nakase T, 1085
Nebelung W, 160
Nehrer S, 482
Neidlinger-Wilke C, 286
Nelson FRT, 33
Ng, JK-F, 463
Nichols EH, 85
Nilsson E, 441
Ninomiya JT, 621
Ninomiya Y, 935
Nitto H, 117
Nixon AJ, 26, 720, 738, 759
Nolte PA, 301
Norlin R, 441

O'Driscoll SW, 206, 405, 524
O'Driscoll SWM, 95
O'Keefe PF, 18, 554
Obradovic B, 1089
Ochiai N, 593
Oda H, 132, 456
Ogasawara A, 935
Oguma H, 873
Ohgushi H, 559
Ohlen G, 1178
Ohtake H, 132
Okado N, 593
Okazaki K, 1013
Ono H, 559
Önsten I, 1162
Orth MW, 779
Oshika Y, 448
Oteiza C, 820
Ozuna RM, 597

Padera RF, 1089
Pagnotta A, 294
Parker Vail T, 359
Parnianpour M, 463
Pasquali-Ronchetti I, 398
Patwari P, 1140
Peretti GM, 278
Perinpanayagam H, 993
Perona BP, 962
Perumbuli P, 242
Petrella AJ, 614
Peura GD, 841, 1178
Pifer LL, 815
Pilliar RM, 187, 1078
Pintar FA, 977
Pisetsky DS, 729
Plaas AH, 269
Plenz G, 531

Pluhar GE, 318, 990
Poole AR, 250
Popp-Snijders C, 945
Powell GL, 671
Premdas J, 221
Probst A, 531

Quaglino D, 398
Quinn TM, 242
Quitoriano M, 751

Radomisli TE, 1049
Ragab AA, 171
Ramnaraine ML, 554
Ramrattan N, 834
Randolph MA, 278
Ratcliffe A, 720
Redmond HP, 1057
Reikerås O, 265
Reiner A, 250
Reiser M, 1192
Rempel D, 143
Rempel DM, 436
Renström PA, 213
Renstrom PA, 1178
Reynolds PR, 18
Richardson CA, 463
Rimnac CM, 927
Robbins M, 634
Robbins PD, 759
Robion FC, 250
Rocca M, 955
Roiser RN, 18
Romano PR, 18
Rong Cai S, 869
Rubash HE, 614

Sager M, 665
Sah RL, 1105, 1113, 1122
Sakai H, 132, 1013
Saleh KJ, 50
Saleh L, 50
Salo PT, 384
Samnegård E, 328
Sandell LJ, 712, 720
Sanyal A, 405
Saotome K, 132
Saris DBF, 95, 524
Sarma AV, 671
Sarrat R, 229
Saxer RA, 26, 759
Schalet BJ, 242, 365
Schmidt TL, 1043
Schneider G, 993
Schultz FM, 524
Schwartz Z, 179
Schwarz EM, 18
Schwinger G, 665
Seeherman HJ, 308, 318, 990
Semeins CM, 301
Setton LA, 2
Shea M, 200
Shehadeh SE, 565
Shen XC, 64, 421
Shepard MF, 587
Shida J-i, 259
Shiga T, 593
Shih C-H, 696
Shimada K, 1085
Shimada Y, 379
Shortkroff S, 482
Shott S, 1162
Shrive NG, 845
Siegrist M, 493
Silva MJ, 1199
Simmons CA, 187
Simpson AHRW, 950
Simske SJ, 518
Singer J, 665
Skajaa K, 391
Skinner HB, 539
Skinner RA, 64, 421
Slauterbeck JR, 642
Sledge CB, 962
Sluss JR, 852
Smith JA, 384
Smith RA, 815
Smith RL, 970
Söder S, 478
Soslowsky LJ, 269
Specchia N, 294
Spector M, 221, 233, 482, 597, 659
Spiegel HU, 531
Sporrong H, 338
Stammberger T, 1192
Stanford C, 993
Stapley SA, 155
Steen H, 265
Stelloh CT, 621
Stewart MC, 171
Street JT, 1057
Struve JA, 621
Su F-C, 1147
Suliman IA, 1008
Sumner DR, 85, 914, 1162
Sun Y, 1078
Sutherland CA, 384
Sylvia VL, 179

Taguchi T, 605
Takahashi K, 379, 500
Takahashi Y, 379
Takahashi-Iwanaga H, 873
Takai S, 548
Tamai K, 132
Tamai S, 559
Tamaki T, 472
Tamaoki N, 448
Tang J-B, 221
Tanner KE, 414
Tantravahi U, 677
Tanzer M, 195
Taylor D, 919
Taylor V, 155
TeKoppele JM, 1021
Tepic S, 1073
Terek RM, 797
Thornton GM, 845
Thorsen K, 881
Tillander B, 441
Todhunter RJ, 688
Toesca A, 294
Tokunaga T, 448
Tomisawa M, 448
Tomita T, 1085
Tong W, 1027
Torres A, 229
Torricelli P, 955
Toth JM, 621
Tracy Ballock R, 43
Treppo S, 1089
Trindade MCD, 970
Trippel SB, 11
Trudel G, 352
Tsahakis PJ, 428
Tsuda N, 346
Tsujino A, 593
Tu BP, 1122
Tu Y, 1199
Turner TM, 85

Ueng SWN, 696
Ueyama Y, 448
Uh BS, 1185
Uhthoff HK, 352
Urabe K, 1013
Urban Lindgren J, 1008
Urban RM, 85
Uvehammer J, 1168

Vacek PM, 213
van der Linden JC, 914
Vanderby R, 308
Vashishth D, 414
Vedi S, 1035
Verner JJ, 33
Vernier-Singer M, 688
Veronese FM, 955
Villa V, 511
Visser NA, 945
Vunjak-Novakovic G, 1089

Wakai A, 1057
Wang C, 200
Wang JY, 2
Wang JH, 1057
Wang JH-C, 286
Wang M-X, 136
Wang X, 1021
Wang X, 493
Warner JP, 221
Warren RF, 751
Watanabe Y, 548
Watkins PE, 155
Watson JT, 869
Wayne JS, 852
Wei A, 136
Weinans H, 914
Weinhold P, 858
Weisstein JS, 339
Wiedemann E, 1192
Wildey GM, 650
Wilke C, 665
Williams JL, 1043
Williams J, 738
Williamson AK, 1113
Wissel H, 160
Wolf JM, 797
Wong M, 493
Wong P, 50
Woodgate I, 50
Worster AA, 738
Wu QD, 1057
Wyman J, 797

Xie W-F, 712

Yabuki T, 593
Yamada A, 346
Yamagata 379
Yamaguchi DT, 985
Yamakawa H, 862
Yamazaki H, 448
Yamazaki M, 935
Yanagisawa K, 448
Yang S-H, 57
Yaszay B, 970
Yeh OC, 1001
Yen C-Y, 696
Yoganandan N, 977
Yonemura H, 605
Yoshihara Y, 573
Yoshikawaa H, 1085
Yoshino N, 548

Zabka AG, 318, 990
Zaharias R, 993
Zaleske DJ, 278
Zelicof S, 962
Zenmyo M, 809
Zhang AX, 614
Zhao C, 580
Zhao KD, 206
Zhou X, 43
Zhu W, 136
Zobitz ME, 580
Zou L, 797
Zuelzer WA, 852

ELSEVIER

Journal of Orthopaedic Research 19 (2001) 1217–1229

Journal of Orthopaedic Research

www.elsevier.com/locate/orthres

Volume 19, 2001

SUBJECT INDEX

Academic

The contribution of MD–Ph.D. training to academic orthopaedic faculties, 505

Acetabulum

The material properties of the bovine acetabular labrum, 887

Achilles tendon

GDF-5 deficiency in mice alters the ultrastructure, mechanical properties and composition of the Achilles tendon, 365

Neutrophils and macrophages accumulate sequentially following Achilles tendon injury, 1203

Temporal expression of nitric oxide synthase isoforms in healing Achilles tendon, 136

Achondroplasia

Deformation across the zone of callotasis during loading. Radiostereometric analysis in a patient with achondroplasia, 265

Actin

Cyclic tensile stretch inhibition of nitric oxide release from osteoblast-like cells is both G protein and actin-dependent, 126

Distribution of smooth muscle actin-containing cells in the human meniscus, 659

Regional variations in certain cellular characteristics in human lumbar intervertebral discs, including the presence of α-smooth muscle actin, 597

Smooth muscle actin expression by human articular chondrocytes and their contraction of a collagen–glycosaminoglycan matrix in vitro, 233

The presence of smooth muscle actin in fibroblasts in the torn human rotator cuff, 221

Acoustic emission

Prediction of mechanical properties of healing fractures using acoustic emission, 548

Adhesion

Integrative cartilage repair: adhesive strength is correlated with collagen deposition, 1105

Mechanisms of chondrocyte adhesion to cartilage: role of β1-integrins, CD44, and annexin V, 1122

Suppression of fibrous adhesion by proteoglycan decorin, 456

Adrenergic

Adrenergic responses in human small arteries isolated from the femoral neck, 104

Aging

Age- and gender-related changes in the cellularity of human bone marrow and the prevalence of osteoblastic progenitors, 117

Age and ovariectomy impair both the normalization of mechanical properties and the accretion of mineral by the fracture callus in rats, 428

Muscle adaptation during distraction osteogenesis in skeletally immature and mature rabbits, 897

Rapid repair of titanium particle-induced osteolysis is dramatically reduced in aged mice, 171

Tensile properties of the physis vary with anatomic location, thickness, strain rate and age, 1043

The angiogenic response to skeletal injury is preserved in the elderly, 1057

The chondrogenic potential of periosteum decreases with age, 95

The effect of aging on distraction osteogenesis in the rat, 421

Alginate

Collagen gene expression and mechanical properties of intervertebral disc cell-alginate cultures, 2

Development of mechanically stable alginate/chondrocyte constructs: effects of guluronic acid content and matrix synthesis, 493

Allograft

Fracture resistance of gamma radiation sterilized cortical bone allografts, 927

Histomorphometric description of allograft bone remodeling and union in a canine segmental femoral defect model: a comparison of rhBMP-2, cancellous bone graft, and absorbable collagen sponge, 318

The effect of recombinant human bone morphogenetic protein-2 on femoral reconstruction with an intercalary allograft in a dog model, 308

Anchor

An expandable anchor for fixation in osteoporotic bone, 545

Angiogenesis

The angiogenic response to skeletal injury is preserved in the elderly, 1057

Animal model

Accuracy and precision of radiostereometric analysis in the measurement of THR femoral component translations: human and canine in vitro models, 1162

A new rabbit model for the study on cervical compressive myelopathy, 605

A simple infection model using pre-colonized implants to reproduce rat chronic *Staphylococcus aureus* osteomyelitis and study antibiotic treatment, 820

Autologous chondrocyte implantation in a canine model: change in composition of reparative tissue with time, 482

Development of tensile strength during distraction osteogenesis in a rat model, 64

Early anchoring collagen fibers at the bone-tendon interface are conducted by woven bone formation: light microscope and scanning electron microscope observation using a canine model, 873

Histomorphometric description of allograft bone remodeling and union in a canine segmental femoral defect model: a comparison of rhBMP-2, cancellous bone graft, and absorbable collagen sponge, 318

Hyaluronan suppressed nitric oxide production in the meniscus and synovium of rabbit osteoarthritis model, 500

Peripheral nerve lengthening by controlled isolated distraction: a new animal model, 70

Quantitative variation in vascular endothelial growth factor mRNA expression during early flexor tendon healing: an investigation in a canine model, 869

Spread of infection, in an animal model, after intramedullary nailing of an infected external fixator pin track, 155

The effect of NKISK on tendon in an in vivo model, 858

The effect of recombinant human bone morphogenetic protein-2 on femoral reconstruction with an intercalary allograft in a dog model, 308

The evaluation of a rat model for the analysis of densitometric and biomechanical properties of tumor-induced osteolysis, 200

Tissue reactions to particles of bone-substitute materials in intraosseous and heterotopic sites in rats: discrimination of osteoinduction, osteocompatibility, and inflammation, 962

Ankle

Ankle ligament injury risk factors: a prospective study of college athletes, 213

Annexin

Mechanisms of chondrocyte adhesion to cartilage: role of β1-integrins, CD44, and annexin V, 1122

Announcements

13th Conference of the European Society of Biomechanics, 1211

Volvo Awards for Low Back Pain Research 2002, 991

Annulus fibrosus

Morphologic and molecular evidence for gap junctions and connexin 43 and 45 expression

PII: S0736-0266(01)00151-6

in annulus fibrosus cells from the human intervertebral disc, 985

Anterior cruciate ligament

Absolute concentrations of mRNA for type I and type VI collagen in the canine meniscus in normal and ACL-deficient knee joints obtained by RNase protection assay, 650
Expression of matrix metalloprotease and tissue inhibitor of metalloprotease genes in human anterior cruciate ligament, 642
pN collagen type III within tendon grafts used for anterior cruciate ligament reconstruction, 852
Quadriceps protects the anterior cruciate ligament, 629
The gastrocnemius muscle is an antagonist of the anterior cruciate ligament, 1178
The relationship between graft tensioning and the anterior–posterior laxity in the anterior cruciate ligament reconstructed goat knee, 841
Tissue distribution and measurement of cartilage oligomeric matrix protein in patients with magnetic resonance imaging-detected bone bruises after acute anterior cruciate ligament tears, 634

Antibiotic

A simple infection model using pre-colonized implants to reproduce rat chronic *Staphylococcus aureus* osteomyelitis and study antibiotic treatment, 820
Toxic effect of rifampicin on human osteoblast-like cells, 950

Apoptosis

Chondrocyte apoptosis and regional differential expression of nitric oxide in the medial meniscus following partial meniscectomy, 802
Chondrocyte necrosis and apoptosis in impact damaged articular cartilage, 703
Gadolinium inhibits thymidine incorporation and induces apoptosis in chondrocytes, 797
Induction of apoptosis in chondrocytes by tumor necrosis factor-alpha, 785
Osteosarcoma cell apoptosis induced by selenium, 809
Signal transduction pathways and apoptosis in bacteria infected chondrocytes, 696

Artery

Adrenergic responses in human small arteries isolated from the femoral neck, 104
Effects of oophorectomy on functional properties of resistance arteries isolated from the cancellous bone of the rabbit femur, 391

Arthritis

A decreased subchondral trabecular bone tissue elastic modulus is associated with pre-arthritic cartilage damage, 914

Arthroplasty

Accuracy and precision of radiostereometric analysis in the measurement of THR femoral component translations: human and canine in vitro models, 1162
Development, test reliability and validation of a classification for revision hip arthroplasty, 50
Gait analysis after total hip arthroplasty with leg-length equalization in women with unilateral congenital complete dislocation of the hip – comparison with untreated patients, 1147
The effect of component placement on knee kinetics after arthroplasty with an unconstrained prosthesis, 614

Atomic force microscopy

Shape and size of isolated bone mineralites measured using atomic force microscopy, 1027

Autocrine/paracrine

Exogenous insulin-like growth factor-I stimulates an autoinductive IGF-I autocrine/paracrine response in chondrocytes, 26

Autonomic nerve

Autonomic innervation of tendons, ligaments and joint capsules. A morphologic and quantitative study in the rat, 372

Biomaterial

Fibroblast expression of C–C chemokines in response to orthopaedic biomaterial particle challenge in vitro, 970

Biomechanics

Contribution of disc degeneration to osteophyte formation in the cervical spine: a biomechanical investigation, 977
Mechanobiology of initial pseudarthrosis formation with oblique fractures, 1067
The evaluation of a rat model for the analysis of densitometric and biomechanical properties of tumor-induced osteolysis, 200

Biosynthesis

Biosynthetic response and mechanical properties of articular cartilage after injurious compression, 1140

Blood flow

The effect of surgical dissections on blood flow to the tibial tubercle, 113

Bone

A decreased subchondral trabecular bone tissue elastic modulus is associated with pre-arthritic cartilage damage, 914
An expandable anchor for fixation in osteoporotic bone, 545
Deformation and rupture of the articular surface under dynamic and static compression, 1131
Early anchoring collagen fibers at the bone–tendon interface are conducted by woven bone formation: light microscope and scanning electron microscope observation using a canine model, 873
Effects of oophorectomy on functional properties of resistance arteries isolated from the cancellous bone of the rabbit femur, 391
Enhancement of bone growth into porous intramedullary implants using non-invasive low intensity ultrasound, 195
Fatigue of cortical bone under combined axial–torsional loading, 414
Fracture resistance of gamma radiation sterilized cortical bone allografts, 927
Genetic loci influencing natural variations in femoral bone morphometry in mice, 511
Histomorphometric description of allograft bone remodeling and union in a canine segmental femoral defect model: a comparison of rhBMP-2, cancellous bone graft, and absorbable collagen sponge, 318
Immature osteoblastic cells express the pro-α2(XI) collagen gene during bone formation in vitro and in vivo, 1013
Locally delivered rhTGF-β_2 enhances bone ingrowth and bone regeneration at local and remote sites of skeletal injury, 85
Mixed-mode failure response of the cement–bone interface, 1153
No effect of verapamil on the local bone response to in vivo mechanical loading, 328
Osteoprotegerin ameliorates sciatic nerve crush induced bone loss, 518
Relative roles of microdamage and microfracture in the mechanical behavior of trabecular bone, 1001
Shape and size of isolated bone mineralites measured using atomic force microscopy, 1027
Subchondral bone thickness, hardness and remodelling are influenced by short-term exercise in a site-specific manner, 1035
The effect of exercise on systemic and bone concentrations of growth factors in rats, 945
The role of collagen in determining bone mechanical properties, 1021
Tissue distribution and measurement of cartilage oligomeric matrix protein in patients with magnetic resonance imaging-detected bone bruises after acute anterior cruciate ligament tears, 634
Trabecular bone strain changes associated with cartilage defects in the proximal and distal tibia, 906

Bone marrow

Age- and gender-related changes in the cellularity of human bone marrow and the prevalence of osteoblastic progenitors, 117

Bone morphogenetic protein

BMP-12 gene transfer augmentation of lacerated tendon repair, 1199
BMP signaling stimulates chondrocyte maturation and the expression of Indian hedgehog, 18
Enhanced matrix synthesis and in vitro formation of cartilage-like tissue by genetically modified chondrocytes expressing BMP-7, 751
Involvement of BMP-2 signaling in a cartilage cap in osteochondroma, 1085
The effect of recombinant human bone morphogenetic protein-2 on femoral reconstruction with an intercalary allograft in a dog model, 308
Weight-bearing alters the expression of collagen types I and II, BMP 2/4 and osteocalcin in the early stages of distraction osteogenesis, 1049

Bone substitute

Tissue reactions to particles of bone-substitute materials in intraosseous and heterotopic sites in rats: discrimination of osteoinduction, osteocompatibility, and inflammation, 962

Boundary lubricant

Phospholipid composition of articular cartilage boundary lubricant, 671

Bursa

Vascular endothelial growth factor (VEGF) expression in the subacromial bursa is increased in patients with impingement syndrome, 448

Bursitis

Carrageenan-induced subacromial bursitis caused changes in the rat's rotator cuff, 441

Calcitonin

Calcitonin release system in the treatment of experimental osteoporosis. Histomorphometric evaluation, 955

Callotasis

Deformation across the zone of callotasis during loading. Radiostereometric analysis in a patient with achondroplasia, 265

Callus

Age and ovariectomy impair both the normalization of mechanical properties and the accretion of mineral by the fracture callus in rats, 428

Carpal tunnel

The effects of reduced oxygen tension on cell proliferation and matrix synthesis in synovium and tendon explants from the rabbit carpal tunnel: an experimental study in vitro, 143

Carrageenan

Carrageenan-induced subacromial bursitis caused changes in the rat's rotator cuff, 441

Cartilage

A decreased subchondral trabecular bone tissue elastic modulus is associated with pre-arthritic cartilage damage, 914

Biosynthetic response and mechanical properties of articular cartilage after injurious compression, 1140

Chondrocyte necrosis and apoptosis in impact damaged articular cartilage, 703

Compressive properties and function–composition relationships of developing bovine articular cartilage, 1113

Controlled release of IGF-I and TGF-β1 in a photopolymerizing hydrogel for cartilage tissue engineering, 1098

Cytokine regulation of cartilage-derived retinoic acid-sensitive protein (CD-RAP) in primary articular chondrocytes: suppression by IL-1, bfGF, TGFβ and stimulation by IGF-1, 712

Deformation and rupture of the articular surface under dynamic and static compression, 1131

Degradation of the cartilage collagen matrix associated with changes in chondrocytes in osteoarthrosis. Assessment by loss of background fluorescence and immunodetection of matrix components, 33

Enhanced matrix synthesis and in vitro formation of cartilage-like tissue by genetically modified chondrocytes expressing BMP-7, 751

Insulin-like growth factor-I gene expression patterns during spontaneous repair of acute articular cartilage injury, 720

Integration of engineered cartilage, 1089

Integrative cartilage repair: adhesive strength is correlated with collagen deposition, 1105

Involvement of BMP-2 signaling in a cartilage cap in osteochondroma, 1085

Isolation of RNA from small human articular cartilage specimens allows quantification of mRNA expression levels in local articular cartilage defects, 478

Matrix and cell injury due to sub-impact loading of adult bovine articular cartilage explants: effects of strain rate and peak stress, 242

Mechanisms of chondrocyte adhesion to cartilage: role of β1-integrins, CD44, and annexin V, 1122

Phospholipid composition of articular cartilage boundary lubricant, 671

The chondrogenic potential of periosteum decreases with age, 95

The effect of dynamic compression on the response of articular cartilage to insulin-like growth factor-I, 11

The effect of tibial lengthening using the Ilizarov method on the cartilage and the menisci of the knee joint, 665

The effects of static and intermittent compression on nitric oxide production in articular cartilage explants, 729

The extent of matrix damage and chondrocyte death in mechanically traumatized articular cartilage explants depends on rate of loading, 779

Tissue distribution and measurement of cartilage oligomeric matrix protein in patients with magnetic resonance imaging-detected bone bruises after acute anterior cruciate ligament tears, 634

Trabecular bone strain changes associated with cartilage defects in the proximal and distal tibia, 906

Use of synovial fluid markers of cartilage synthesis and turnover to study effects of repeated intra-articular administration of methylprednisolone acetate on articular cartilage in vivo, 250

Cartilage-derived retinoic acid-sensitive protein (CD-RAP)

Cytokine regulation of cartilage-derived retinoic acid-sensitive protein (CD-RAP) in primary articular chondrocytes: suppression by IL-1, bfGF, TGFβ and stimulation by IGF-1, 712

CD44

Mechanisms of chondrocyte adhesion to cartilage: role of β1-integrins, CD44, and annexin V, 1122

Cell adhesion

Early cell adhesion events differ between osteoporotic and non-osteoporotic osteoblasts, 993

Cement

Inducible displacements of cemented tibial components during weight-bearing and knee extension, 1168

Mixed-mode failure response of the cement–bone interface, 1153

Cervical compressive myelopathy

A new rabbit model for the study on cervical compressive myelopathy, 605

c-fos

Detection of c-*fos* expression in benign and malignant musculoskeletal lesions, 339

Chemokine

Fibroblast expression of C–C chemokines in response to orthopaedic biomaterial particle challenge in vitro, 970

Chondrocyte

Autologous chondrocyte implantation in a canine model: change in composition of reparative tissue with time, 482

Basic fibroblast growth factor regulates expression of growth factors in rat epiphyseal chondrocytes, 259

BMP signaling stimulates chondrocyte maturation and the expression of Indian hedgehog, 18

Both retinoic acid and 1,25$(OH)_2$ vitamin D_3 inhibit thyroid hormone-induced terminal differentiation of growth plate chondrocytes, 43

Chondrocyte apoptosis and regional differential expression of nitric oxide in the medial meniscus following partial meniscectomy, 802

Chondrocyte necrosis and apoptosis in impact damaged articular cartilage, 703

Chondrocytic differentiation of mesenchymal stem cells sequentially exposed to transforming growth factor-β1 in monolayer and insulin-like growth factor-I in a three-dimensional matrix, 738

Corticosteroids alter the differentiated phenotype of articular chondrocytes, 688

Degradation of the cartilage collagen matrix associated with changes in chondrocytes in osteoarthrosis. Assessment by loss of background fluorescence and immunodetection of matrix components, 33

Development of mechanically stable alginate/chondrocyte constructs: effects of guluronic acid content and matrix synthesis, 493

Enhanced matrix synthesis and in vitro formation of cartilage-like tissue by genetically modified chondrocytes expressing BMP-7, 751

Exogenous insulin-like growth factor-I stimulates an autoinductive IGF-I autocrine/paracrine response in chondrocytes, 26

Gadolinium inhibits thymidine incorporation and induces apoptosis in chondrocytes, 797

Histomorphological and proliferative characterization of developing periosteal neochondrocytes in vitro, 405

Homology of lubricin and superficial zone protein (SZP): products of megakaryocyte stimulating factor (MSF) gene expression by human synovial fibroblasts and articular chondrocytes localized to chromosome lq25, 677

Induction of apoptosis in chondrocytes by tumor necrosis factor-alpha, 785

Mechanisms of chondrocyte adhesion to cartilage: role of β1-integrins, CD44, and annexin V, 1122

Signal transduction pathways and apoptosis in bacteria infected chondrocytes, 696

Smooth muscle actin expression by human articular chondrocytes and their contraction of a collagen–glycosaminoglycan matrix in vitro, 233

The extent of matrix damage and chondrocyte death in mechanically traumatized articular cartilage explants depends on rate of loading, 779
The osmotic sensitivity of isolated and in situ bovine articular chondrocytes, 768

Chondrogenesis

Alteration of fracture stability influences chondrogenesis, osteogenesis and immigration of macrophages, 531
Spatial and temporal gene expression in chondrogenesis during fracture healing and the effects of basic fibroblast growth factor, 935
The chondrogenic potential of periosteum decreases with age, 95
The enhancement of periosteal chondrogenesis in organ culture by dynamic fluid pressure, 524

Chondrosarcoma

Alterations in the regulatory pathway involving p16, pRb and cdk4 in human chondrosarcoma, 149

Chromosome

Homology of lubricin and superficial zone protein (SZP): products of megakaryocyte stimulating factor (MSF) gene expression by human synovial fibroblasts and articular chondrocytes localized to chromosome 1q25, 677

Collagen

Absolute concentrations of mRNA for type I and type VI collagen in the canine meniscus in normal and ACL-deficient knee joints obtained by RNase protection assay, 650
Collagen gene expression and mechanical properties of intervertebral disc cell-alginate cultures, 2
Degradation of the cartilage collagen matrix associated with changes in chondrocytes in osteoarthrosis. Assessment by loss of background fluorescence and immunodetection of matrix components, 33
Early anchoring collagen fibers at the bone–tendon interface are conducted by woven bone formation: light microscope and scanning electron microscope observation using a canine model, 873
Healing of full-thickness tears of avian supracoracoid tendons: in situ hybridization of α1(I) and α1(III) procollagen mRNA, 862
Histomorphometric description of allograft bone remodeling and union in a canine segmental femoral defect model: a comparison of rhBMP-2, cancellous bone graft, and absorbable collagen sponge, 318
Immature osteoblastic cells express the pro-α2(XI) collagen gene during bone formation in vitro and in vivo, 1013
Integrative cartilage repair: adhesive strength is correlated with collagen deposition, 1105
pN collagen type III within tendon grafts used for anterior cruciate ligament reconstruction, 852
Smooth muscle actin expression by human articular chondrocytes and their contraction of a collagen–glycosaminoglycan matrix in vitro, 233
The role of collagen in determining bone mechanical properties, 1021
Type I and type III procollagen gene expressions in the early phase of ligament healing in rabbits: an in situ hybridisation study, 132
Weight-bearing alters the expression of collagen types I and II, BMP 2/4 and osteocalcin in the early stages of distraction osteogenesis, 1049

Compression

Biosynthetic response and mechanical properties of articular cartilage after injurious compression, 1140
Deformation and rupture of the articular surface under dynamic and static compression, 1131
The effect of dynamic compression on the response of articular cartilage to insulin-like growth factor-I, 11
The effects of static and intermittent compression on nitric oxide production in articular cartilage explants, 729
The material properties of the bovine acetabular labrum, 887

Connexin

Morphologic and molecular evidence for gap junctions and connexin 43 and 45 expression in annulus fibrosus cells from the human intervertebral disc, 985

Construct

Development of mechanically stable alginate/chondrocyte constructs: effects of guluronic acid content and matrix synthesis, 493

Corticosteroid

Corticosteroids alter the differentiated phenotype of articular chondrocytes, 688

Creep

Altering ligament water content affects ligament pre-stress and creep behaviour, 845

Crush

Osteoprotegerin ameliorates sciatic nerve crush induced bone loss, 518

Cytokine

Cytokine regulation of cartilage-derived retinoic acid-sensitive protein (CD-RAP) in primary articular chondrocytes: suppression by IL-1, bfGF, TGFβ and stimulation by IGF-1, 712
Effects of hydroxyapatite particulate debris on the production of cytokines and proteases in human fibroblasts, 621

Decorin

Suppression of fibrous adhesion by proteoglycan decorin, 456

Densitometry

The evaluation of a rat model for the analysis of densitometric and biomechanical properties of tumor-induced osteolysis, 200

Dislocation

Gait analysis after total hip arthroplasty with leg-length equalization in women with unilateral congenital complete dislocation of the hip – comparison with untreated patients, 1147

Displacement

Accuracy and precision of radiostereometric analysis in the measurement of THR femoral component translations: human and canine in vitro models, 1162
A new device to measure knee laxity during weightbearing and non-weightbearing conditions, 1185
Inducible displacements of cemented tibial components during weight-bearing and knee extension, 1168

Distraction

Muscle adaptation during distraction osteogenesis in skeletally immature and mature rabbits, 897
Peripheral nerve lengthening by controlled isolated distraction: a new animal model, 70
The effect of aging on distraction osteogenesis in the rat, 421
Weight-bearing alters the expression of collagen types I and II, BMP 2/4 and osteocalcin in the early stages of distraction osteogenesis, 1049

Editorial

1

Elastic fiber

DL-penicillamine induced alteration of elastic fibers of periosteum–perichondrium and associated growth inhibition: an experimental study, 398

Elastic modulus

A decreased subchondral trabecular bone tissue elastic modulus is associated with prearthritic cartilage damage, 914

Endochondral ossification

Low-intensity ultrasound stimulates endochondral ossification in vitro, 301

Endplate

Direction-dependent resistance to flow in the endplate of the intervertebral disc: an ex vivo study, 1073

Enzymes

Absolute concentrations of mRNA for type I and type VI collagen in the canine meniscus in normal and ACL-deficient knee joints obtained by RNase protection assay, 650
Effects of hydroxyapatite particulate debris on the production of cytokines and proteases in human fibroblasts, 621
Expression of matrix metalloprotease and tissue inhibitor of metalloprotease genes in human anterior cruciate ligament, 642
Temporal expression of nitric oxide synthase isoforms in healing Achilles tendon, 136

Erratum

990

Exercise

Ankle ligament injury risk factors: a prospective study of college athletes, 213
Effect of high-intensity running in rectus femoris muscle fiber in rats, 229
Subchondral bone thickness, hardness and remodelling are influenced by short-term exercise in a site-specific manner, 1035

The effect of exercise on systemic and bone concentrations of growth factors in rats, 945

External fixation

Spread of infection, in an animal model, after intramedullary nailing of an infected external fixator pin track, 155

Explant

Matrix and cell injury due to sub-impact loading of adult bovine articular cartilage explants: effects of strain rate and peak stress, 242
The effects of reduced oxygen tension on cell proliferation and matrix synthesis in synovium and tendon explants from the rabbit carpal tunnel: an experimental study in vitro, 143
The effects of static and intermittent compression on nitric oxide production in articular cartilage explants, 729
The extent of matrix damage and chondrocyte death in mechanically traumatized articular cartilage explants depends on rate of loading, 779

Facet joint

Immunohistochemical demonstration of nerve fibers in the synovial fold of the human cervical facet joint, 593

Fatigue

Fatigue of cortical bone under combined axial–torsional loading, 414
Ischemia causes muscle fatigue, 436

Femur

Accuracy and precision of radiostereometric analysis in the measurement of THR femoral component translations: human and canine in vitro models, 1162
Adrenergic responses in human small arteries isolated from the femoral neck, 104
Effect of force direction on femoral fracture load for two types of loading conditions, 539
Effects of oophorectomy on functional properties of resistance arteries isolated from the cancellous bone of the rabbit femur, 391
Genetic loci influencing natural variations in femoral bone morphometry in mice, 511
Histomorphometric description of allograft bone remodeling and union in a canine segmental femoral defect model: a comparison of rhBMP-2, cancellous bone graft, and absorbable collagen sponge, 318
Stress analysis of the distal locking screws for femoral interlocking nailing, 57
The effect of ovariectomy and ovarian steroid treatment on growth hormone and insulin-like growth factor-I levels in the rat femur, 1008
The effect of recombinant human bone morphogenetic protein-2 on femoral reconstruction with an intercalary allograft in a dog model, 308

Fetus

Growth in width of the metacarpals – an investigation in human fetuses, 352

Fibroblast

Analysis of changes in mRNA levels of myoblast- and fibroblast-derived gene products in healing skeletal muscle using quantitative reverse transcription-polymerase chain reaction, 565
Effects of hydroxyapatite particulate debris on the production of cytokines and proteases in human fibroblasts, 621
Fibroblast expression of C–C chemokines in response to orthopaedic biomaterial particle challenge in vitro, 970
Homology of lubricin and superficial zone protein (SZP): products of megakaryocyte stimulating factor (MSF) gene expression by human synovial fibroblasts and articular chondrocytes localized to chromosome lq25, 677
The presence of smooth muscle actin in fibroblasts in the torn human rotator cuff, 221

Fibroblast growth factor

Basic fibroblast growth factor regulates expression of growth factors in rat epiphyseal chondrocytes, 259
Cytokine regulation of cartilage-derived retinoic acid-sensitive protein (CD-RAP) in primary articular chondrocytes: suppression by IL-1, bfGF, TGFβ and stimulation by IGF-1, 712
Spatial and temporal gene expression in chondrogenesis during fracture healing and the effects of basic fibroblast growth factor, 935

Fixation

An expandable anchor for fixation in osteoporotic bone, 545

Flexion

Injuries produced by blunt trauma to the human patellofemoral joint vary with flexion angle of the knee, 827

Flexor digitorum profundus

Gliding characteristics of tendon repair in canine flexor digitorum profundus tendons, 580

Force

Effect of force direction on femoral fracture load for two types of loading conditions, 539

Forearm

The effects of partial and total interosseous membrane transection on load sharing in the cadaver forearm, 587

Fracture

Age and ovariectomy impair both the normalization of mechanical properties and the accretion of mineral by the fracture callus in rats, 428
Alteration of fracture stability influences chondrogenesis, osteogenesis and immigration of macrophages, 531
Effect of force direction on femoral fracture load for two types of loading conditions, 539
Fracture resistance of gamma radiation sterilized cortical bone allografts, 927
Mechanobiology of initial pseudarthrosis formation with oblique fractures, 1067
Molecular aspects of healing in stabilized and non-stabilized fractures, 78
Prediction of mechanical properties of healing fractures using acoustic emission, 548
Relative roles of microdamage and microfracture in the mechanical behavior of trabecular bone, 1001
Spatial and temporal gene expression in chondrogenesis during fracture healing and the effects of basic fibroblast growth factor, 935
Spread of infection, in an animal model, after intramedullary nailing of an infected external fixator pin track, 155
Stress analysis of the distal locking screws for femoral interlocking nailing, 57
The prediction of stress fractures using a 'stressed volume' concept, 919

Gadolinium

Gadolinium inhibits thymidine incorporation and induces apoptosis in chondrocytes, 797

Gait

Gait analysis after total hip arthroplasty with leg-length equalization in women with unilateral congenital complete dislocation of the hip – comparison with untreated patients, 1147

Gamma irradiation

Fracture resistance of gamma radiation sterilized cortical bone allografts, 927
Gamma irradiation of HIV-1, 815

Gap junction

Morphologic and molecular evidence for gap junctions and connexin 43 and 45 expression in annulus fibrosus cells from the human intervertebral disc, 985

Gastrocnemius

The gastrocnemius muscle is an antagonist of the anterior cruciate ligament, 1178

GDF-5

GDF-5 deficiency in mice alters the ultrastructure, mechanical properties and composition of the Achilles tendon, 365

Gender

Age- and gender-related changes in the cellularity of human bone marrow and the prevalence of osteoblastic progenitors, 117

Gene

BMP-12 gene transfer augmentation of lacerated tendon repair, 1199
BMP signaling stimulates chondrocyte maturation and the expression of Indian hedgehog, 18
Collagen gene expression and mechanical properties of intervertebral disc cell-alginate cultures, 2
Expression of matrix metalloprotease and tissue inhibitor of metalloprotease genes in human anterior cruciate ligament, 642
Gene mediated insulin-like growth factor-I delivery to the synovium, 759
Genetic loci influencing natural variations in femoral bone morphometry in mice, 511
Immature osteoblastic cells express the pro-α2(XI) collagen gene during bone formation in vitro and in vivo, 1013
Insulin-like growth factor-I gene expression patterns during spontaneous repair of acute articular cartilage injury, 720

Spatial and temporal gene expression in chondrogenesis during fracture healing and the effects of basic fibroblast growth factor, 935
Type I and type III procollagen gene expressions in the early phase of ligament healing in rabbits: an in situ hybridisation study, 132

Gene products

Alterations in the regulatory pathway involving p16, pRb and cdk4 in human chondrosarcoma, 149
Analysis of changes in mRNA levels of myoblast- and fibroblast-derived gene products in healing skeletal muscle using quantitative reverse transcription-polymerase chain reaction, 565

Glenohumeral joint

Biochemical markers in the synovial fluid of glenohumeral joints from patients with rotator cuff tear, 573

Glutamate

In vivo microdialysis and immunohistochemical analyses of tendon tissue demonstrated high amounts of free glutamate and glutamate NMDAR1 receptors, but no signs of inflammation, in Jumper's knee, 881

Glycosaminoglycan

Hyaluronan suppressed nitric oxide production in the meniscus and synovium of rabbit osteoarthritis model, 500
Proteoglycans and glycosaminoglycan fine structure in the mouse tail tendon fascicle, 269
Smooth muscle actin expression by human articular chondrocytes and their contraction of a collagen–glycosaminoglycan matrix in vitro, 233

G-protein

Cyclic tensile stretch inhibition of nitric oxide release from osteoblast-like cells is both G protein and actin-dependent, 126

Graft

Histomorphometric description of allograft bone remodeling and union in a canine segmental femoral defect model: a comparison of rhBMP-2, cancellous bone graft, and absorbable collagen sponge, 318
pN collagen type III within tendon grafts used for anterior cruciate ligament reconstruction, 852
The relationship between graft tensioning and the anterior–posterior laxity in the anterior cruciate ligament reconstructed goat knee, 841

Growth

D,L-penicillamine induced alteration of elastic fibers of periosteum–perichondrium and associated growth inhibition: an experimental study, 398
Enhancement of bone growth into porous intramedullary implants using non-invasive low intensity ultrasound, 195
Growth in width of the metacarpals – an investigation in human fetuses, 352
Locally delivered rhTGF-β_2 enhances bone ingrowth and bone regeneration at local and remote sites of skeletal injury, 85

Growth factors

Basic fibroblast growth factor regulates expression of growth factors in rat epiphyseal chondrocytes, 259
Chondrocytic differentiation of mesenchymal stem cells sequentially exposed to transforming growth factor-β1 in monolayer and insulin-like growth factor-I in a three-dimensional matrix, 738
Controlled release of IGF-I and TGF-β1 in a photopolymerizing hydrogel for cartilage tissue engineering, 1098
Cytokine regulation of cartilage-derived retinoic acid-sensitive protein (CD-RAP) in primary articular chondrocytes: suppression by IL-1, bFGF, TGFβ and stimulation by IGF-1, 712
Exogenous insulin-like growth factor-I stimulates an autoinductive IGF-I autocrine/paracrine response in chondrocytes, 26
Gene mediated insulin-like growth factor-I delivery to the synovium, 759
Insulin-like growth factor-I gene expression patterns during spontaneous repair of acute articular cartilage injury, 720
Locally delivered rhTGF-β_2 enhances bone ingrowth and bone regeneration at local and remote sites of skeletal injury, 85
Quantitative variation in vascular endothelial growth factor mRNA expression during early flexor tendon healing: an investigation in a canine model, 869
Spatial and temporal gene expression in chondrogenesis during fracture healing and the effects of basic fibroblast growth factor, 935
The effect of dynamic compression on the response of articular cartilage to insulin-like growth factor-I, 11
The effect of exercise on systemic and bone concentrations of growth factors in rats, 945
The effect of ovariectomy and ovarian steroid treatment on growth hormone and insulin-like growth factor-I levels in the rat femur, 1008
Vascular endothelial growth factor (VEGF) expression in the subacromial bursa is increased in patients with impingement syndrome, 448

Growth plate

Both retinoic acid and 1,25$(OH)_2$ vitamin D_3 inhibit thyroid hormone-induced terminal differentiation of growth plate chondrocytes, 43

Guluronic acid

Development of mechanically stable alginate/chondrocyte constructs: effects of guluronic acid content and matrix synthesis, 493

Healing

Healing of full-thickness tears of avian supracoracoid tendons: in situ hybridization of αI(I) and αI(III) procollagen mRNA, 862
Molecular aspects of healing in stabilized and non-stabilized fractures, 78
Prediction of mechanical properties of healing fractures using acoustic emission, 548
Quantitative variation in vascular endothelial growth factor mRNA expression during early flexor tendon healing: an investigation in a canine model, 869
Spatial and temporal gene expression in chondrogenesis during fracture healing and the effects of basic fibroblast growth factor, 935
Temporal expression of nitric oxide synthase isoforms in healing Achilles tendon, 136
Tissue reactions to particles of bone-substitute materials in intraosseous and heterotopic sites in rats: discrimination of osteoinduction, osteocompatibility, and inflammation, 962
Type I and type III procollagen gene expressions in the early phase of ligament healing in rabbits: an in situ hybridisation study, 132

Hip

Accuracy and precision of radiostereometric analysis in the measurement of THR femoral component translations: human and canine in vitro models, 1162
Development, test reliability and validation of a classification for revision hip arthroplasty, 50
Gait analysis after total hip arthroplasty with leg-length equalization in women with unilateral congenital complete dislocation of the hip – comparison with untreated patients, 1147
Mixed-mode failure response of the cement–bone interface, 1153
Regional material properties of the human hip joint capsule ligaments, 359

Histomorphometry

Calcitonin release system in the treatment of experimental osteoporosis. Histomorphometric evaluation, 955
Histomorphometric description of allograft bone remodeling and union in a canine segmental femoral defect model: a comparison of rhBMP-2, cancellous bone graft, and absorbable collagen sponge, 318

HIV

Gamma irradiation of HIV-1, 815

HLA

Expression of a newly defined tumor-rejection antigen SART3 in musculoskeletal tumors and induction of HLA class I-restricted cytotoxic T lymphocytes by SARTS-derived peptides, 346

Hyaluronan

Hyaluronan suppressed nitric oxide production in the meniscus and synovium of rabbit osteoarthritis model, 500

Hydroxyapatite

Effects of hydroxyapatite particulate debris on the production of cytokines and proteases in human fibroblasts, 621

Ilizarov method

The effect of tibial lengthening using the Ilizarov method on the cartilage and the menisci of the knee joint, 665

Immobilization

Vascular response of the meniscus to injury: effects of immobilization, 384

Immunohistochemistry

Immunohistochemical demonstration of nerve fibers in the synovial fold of the human cervical facet joint, 593
In vivo microdialysis and immunohistochemical analyses of tendon tissue demonstrated high amounts of free glutamate and glutamate NMDAR1 receptors, but no signs of inflammation, in Jumper's knee, 881

Impingement syndrome

Three-dimensional analysis of shoulder girdle and supraspinatus motion patterns in patients with impingement syndrome, 1192
Vascular endothelial growth factor (VEGF) expression in the subacromial bursa is increased in patients with impingement syndrome, 448

Implant

A simple infection model using pre-colonized implants to reproduce rat chronic *Staphylococcus aureus* osteomyelitis and study antibiotic treatment, 820
Autologous chondrocyte implantation in a canine model: change in composition of reparative tissue with time, 482
Differences in osseointegration rate due to implant surface geometry can be explained by local tissue strains, 187
Enhancement of bone growth into porous intramedullary implants using non-invasive low intensity ultrasound, 195

Indian hedgehog

BMP signaling stimulates chondrocyte maturation and the expression of Indian hedgehog, 18

Infection

A simple infection model using pre-colonized implants to reproduce rat chronic *Staphylococcus aureus* osteomyelitis and study antibiotic treatment, 820
Signal transduction pathways and apoptosis in bacteria infected chondrocytes, 696
Spread of infection, in an animal model, after intramedullary nailing of an infected external fixator pin track, 155

Inflammation

Carrageenan-induced subacromial bursitis caused changes in the rat's rotator cuff, 441
In vivo microdialysis and immunohistochemical analyses of tendon tissue demonstrated high amounts of free glutamate and glutamate NMDAR1 receptors, but no signs of inflammation, in Jumper's knee, 881
Tissue reactions to particles of bone-substitute materials in intraosseous and heterotopic sites in rats: discrimination of osteoinduction, osteocompatibility, and inflammation, 962

Injury

Ankle ligament injury risk factors: a prospective study of college athletes, 213
Biosynthetic response and mechanical properties of articular cartilage after injurious compression, 1140
BMP-12 gene transfer augmentation of lacerated tendon repair, 1199
Chondrocyte necrosis and apoptosis in impact damaged articular cartilage, 703
Healing of full-thickness tears of avian supracoracoid tendons: in situ hybridization of zI(I) and zI(III) procollagen mRNA, 862
Injuries produced by blunt trauma to the human patellofemoral joint vary with flexion angle of the knee, 827
Insulin-like growth factor-I gene expression patterns during spontaneous repair of acute articular cartilage injury, 720
Locally delivered rhTGF-β_2 enhances bone ingrowth and bone regeneration at local and remote sites of skeletal injury, 85
Matrix and cell injury due to sub-impact loading of adult bovine articular cartilage explants: effects of strain rate and peak stress, 242
Neutrophils and macrophages accumulate sequentially following Achilles tendon injury, 1203
Osteoprotegerin ameliorates sciatic nerve crush induced bone loss, 518
The angiogenic response to skeletal injury is preserved in the elderly, 1057
The extent of matrix damage and chondrocyte death in mechanically traumatized articular cartilage explants depends on rate of loading, 779
Tissue distribution and measurement of cartilage oligomeric matrix protein in patients with magnetic resonance imaging-detected bone bruises after acute anterior cruciate ligament tears, 634
Vascular response of the meniscus to injury: effects of immobilization, 384

In situ hybridisation

Healing of full-thickness tears of avian supracoracoid tendons: in situ hybridization of zI(I) and zI(III) procollagen mRNA, 862
Type I and type III procollagen gene expressions in the early phase of ligament healing in rabbits: an in situ hybridisation study, 132

Insulin-like growth factor

Chondrocytic differentiation of mesenchymal stem cells sequentially exposed to transforming growth factor-β1 in monolayer and insulin-like growth factor-I in a three-dimensional matrix, 738
Controlled release of IGF-I and TGF-β1 in a photopolymerizing hydrogel for cartilage tissue engineering, 1098
Cytokine regulation of cartilage-derived retinoic acid-sensitive protein (CD-RAP) in primary articular chondrocytes: suppression by IL-1, bfGF, TGFβ and stimulation by IGF-1, 712
Exogenous insulin-like growth factor-I stimulates an autoinductive IGF-I autocrine/paracrine response in chondrocytes, 26
Gene mediated insulin-like growth factor-I delivery to the synovium, 759
Insulin-like growth factor-I gene expression patterns during spontaneous repair of acute articular cartilage injury, 720
The effect of dynamic compression on the response of articular cartilage to insulin-like growth factor-I, 11
The effect of ovariectomy and ovarian steroid treatment on growth hormone and insulin-like growth factor-I levels in the rat femur, 1008

Integrin

Mechanisms of chondrocyte adhesion to cartilage: role of β1-integrins, CD44, and annexin V, 1122

Interleukin

Cytokine regulation of cartilage-derived retinoic acid-sensitive protein (CD-RAP) in primary articular chondrocytes: suppression by IL-1, bfGF, TGFβ and stimulation by IGF-1, 712

Interosseous membrane

The effects of partial and total interosseous membrane transection on load sharing in the cadaver forearm, 587

Intervertebral disc

Characterization of nucleus pulposus-like tissue formed in vitro, 1078
Collagen gene expression and mechanical properties of intervertebral disc cell-alginate cultures, 2
Contribution of disc degeneration to osteophyte formation in the cervical spine: a biomechanical investigation, 977
Direction-dependent resistance to flow in the endplate of the intervertebral disc: an ex vivo study, 1073
Morphologic and molecular evidence for gap junctions and connexin 43 and 45 expression in annulus fibrosus cells from the human intervertebral disc, 985
Regional variations in certain cellular characteristics in human lumbar intervertebral discs, including the presence of α-smooth muscle actin, 597
Roles of thromboxane A_2 and leukotriene B_4 in radicular pain induced by herniated nucleus pulposus, 472

Ischemia

Ischemia causes muscle fatigue, 436
Viability of ischemia/reperfused muscles in rat: a new evaluation method by RNA degradation, 559

Joint capsule

Autonomic innervation of tendons, ligaments and joint capsules. A morphologic and quantitative study in the rat, 372
Regional material properties of the human hip joint capsule ligaments, 359

Kinematics

Q-angle influences tibiofemoral and patellofemoral kinematics, 834

Knee

Absolute concentrations of mRNA for type I and type VI collagen in the canine meniscus in normal and ACL-deficient knee joints obtained by RNase protection assay, 650
A new device to measure knee laxity during weightbearing and non-weightbearing conditions, 1185
Inducible displacements of cemented tibial components during weight-bearing and knee extension, 1168
Injuries produced by blunt trauma to the human patellofemoral joint vary with flexion angle of the knee, 827
In vivo microdialysis and immunohistochemical analyses of tendon tissue demonstrated

high amounts of free glutamate and glutamate NMDAR1 receptors, but no signs of inflammation, in Jumper's knee, 881
The effect of component placement on knee kinetics after arthroplasty with an unconstrained prosthesis, 614
The effect of tibial lengthening using the Ilizarov method on the cartilage and the menisci of the knee joint, 665
The relationship between graft tensioning and the anterior–posterior laxity in the anterior cruciate ligament reconstructed goat knee, 841

Lengthening

Peripheral nerve lengthening by controlled isolated distraction: a new animal model, 70
The effect of tibial lengthening using the Ilizarov method on the cartilage and the menisci of the knee joint, 665

Letters to the editor

337, 338, 1210

Leukotriene

Roles of thromboxane A_2 and leukotriene B_4 in radicular pain induced by herniated nucleus pulposus, 472

Ligament

Altering ligament water content affects ligament pre-stress and creep behaviour, 845
Ankle ligament injury risk factors: a prospective study of college athletes, 213
Autonomic innervation of tendons, ligaments and joint capsules. A morphologic and quantitative study in the rat, 372
Characterization of cultured human ligamentum flavum cells in lumbar spine stenosis, 294
Expression of matrix metalloprotease and tissue inhibitor of metalloprotease genes in human anterior cruciate ligament, 642
Quadriceps protects the anterior cruciate ligament, 629
Regional material properties of the human hip joint capsule ligaments, 359
Tissue distribution and measurement of cartilage oligomeric matrix protein in patients with magnetic resonance imaging-detected bone bruises after acute anterior cruciate ligament tears, 634
Type I and type III procollagen gene expressions in the early phase of ligament healing in rabbits: an in situ hybridisation study, 132

Load

Deformation across the zone of callotasis during loading. Radiostereometric analysis in a patient with achondroplasia, 265
Deformation and rupture of the articular surface under dynamic and static compression, 1131
Effect of force direction on femoral fracture load for two types of loading conditions, 539
Fatigue of cortical bone under combined axial–torsional loading, 414
Matrix and cell injury due to sub-impact loading of adult bovine articular cartilage explants: effects of strain rate and peak stress, 242
Mixed-mode failure response of the cement–bone interface, 1153
No effect of verapamil on the local bone response to in vivo mechanical loading, 328
The effects of partial and total interosseous membrane transection on load sharing in the cadaver forearm, 587
The extent of matrix damage and chondrocyte death in mechanically traumatized articular cartilage explants depends on rate of loading, 779
Weight-bearing alters the expression of collagen types I and II, BMP 2/4 and osteocalcin in the early stages of distraction osteogenesis, 1049

Lubricin

Homology of lubricin and superficial zone protein (SZP): products of megakaryocyte stimulating factor (MSF) gene expression by human synovial fibroblasts and articular chondrocytes localized to chromosome lq25, 677

Macrophage

Alteration of fracture stability influences chondrogenesis, osteogenesis and immigration of macrophages, 531
Neutrophils and macrophages accumulate sequentially following Achilles tendon injury, 1203

Marker

Biochemical markers in the synovial fluid of glenohumeral joints from patients with rotator cuff tear, 573
Use of synovial fluid markers of cartilage synthesis and turnover to study effects of repeated intra-articular administration of methylprednisolone acetate on articular cartilage in vivo, 250

Matrix

Development of mechanically stable alginate/chondrocyte constructs: effects of guluronic acid content and matrix synthesis, 493
Enhanced matrix synthesis and in vitro formation of cartilage-like tissue by genetically modified chondrocytes expressing BMP-7, 751
The extent of matrix damage and chondrocyte death in mechanically traumatized articular cartilage explants depends on rate of loading, 779
Tissue distribution and measurement of cartilage oligomeric matrix protein in patients with magnetic resonance imaging-detected bone bruises after acute anterior cruciate ligament tears, 634

Mechanical properties

Altering ligament water content affects ligament pre-stress and creep behaviour, 845
Biosynthetic response and mechanical properties of articular cartilage after injurious compression, 1140
Collagen gene expression and mechanical properties of intervertebral disc cell-alginate cultures, 2
Compressive properties and function–composition relationships of developing bovine articular cartilage, 1113
GDF-5 deficiency in mice alters the ultrastructure, mechanical properties and composition of the Achilles tendon, 365
Mixed-mode failure response of the cement–bone interface, 1153
Prediction of mechanical properties of healing fractures using acoustic emission, 548
Relative roles of microdamage and microfracture in the mechanical behavior of trabecular bone, 1001
Tensile properties of the physis vary with anatomic location, thickness, strain rate and age, 1043
The role of collagen in determining bone mechanical properties, 1021

Megakaryocyte stimulating factor (MSF)

Homology of lubricin and superficial zone protein (SZP): products of megakaryocyte stimulating factor (MSF) gene expression by human synovial fibroblasts and articular chondrocytes localized to chromosome lq25, 677

Meniscectomy

Chondrocyte apoptosis and regional differential expression of nitric oxide in the medial meniscus following partial meniscectomy, 802

Meniscus

Absolute concentrations of mRNA for type I and type VI collagen in the canine meniscus in normal and ACL-deficient knee joints obtained by RNase protection assay, 650
Chondrocyte apoptosis and regional differential expression of nitric oxide in the medial meniscus following partial meniscectomy, 802
Distribution of smooth muscle actin-containing cells in the human meniscus, 659
Hyaluronan suppressed nitric oxide production in the meniscus and synovium of rabbit osteoarthritis model, 500
Meniscal repair using engineered tissue, 278
The effect of tibial lengthening using the Ilizarov method on the cartilage and the menisci of the knee joint, 665
Vascular response of the meniscus to injury: effects of immobilization, 384

Metacarpal

Growth in width of the metacarpals – an investigation in human fetuses, 352

Metalloprotease

Expression of matrix metalloprotease and tissue inhibitor of metalloprotease genes in human anterior cruciate ligament, 642

Methylprednisolone

Use of synovial fluid markers of cartilage synthesis and turnover to study effects of repeated intra-articular administration of methylprednisolone acetate on articular cartilage in vivo, 250

Microdialysis

In vivo microdialysis and immunohistochemical analyses of tendon tissue demonstrated high amounts of free glutamate and glutamate NMDAR1 receptors, but no signs of inflammation, in Jumper's knee, 881

Mineral

Age and ovariectomy impair both the normalization of mechanical properties and the

accretion of mineral by the fracture callus in rats, 428
Shape and size of isolated bone mineralites measured using atomic force microscopy, 1027

Morphometry

Genetic loci influencing natural variations in femoral bone morphometry in mice, 511

MRI

Three-dimensional analysis of shoulder girdle and supraspinatus motion patterns in patients with impingement syndrome, 1192
Tissue distribution and measurement of cartilage oligomeric matrix protein in patients with magnetic resonance imaging-detected bone bruises after acute anterior cruciate ligament tears, 634

mRNA

Absolute concentrations of mRNA for type I and type VI collagen in the canine meniscus in normal and ACL-deficient knee joints obtained by RNase protection assay, 650
Analysis of changes in mRNA levels of myoblast- and fibroblast-derived gene products in healing skeletal muscle using quantitative reverse transcription-polymerase chain reaction, 565
Healing of full-thickness tears of avian supracoracoid tendons: in situ hybridization of α1(I) and α1(III) procollagen mRNA, 862
Isolation of RNA from small human articular cartilage specimens allows quantification of mRNA expression levels in local articular cartilage defects, 478
Quantitative variation in vascular endothelial growth factor mRNA expression during early flexor tendon healing: an investigation in a canine model, 869

Muscle

Analysis of changes in mRNA levels of myoblast- and fibroblast-derived gene products in healing skeletal muscle using quantitative reverse transcription-polymerase chain reaction, 565
Effect of high-intensity running in rectus femoris muscle fiber in rats, 229
Functional roles of abdominal and back muscles during isometric axial rotation of the trunk, 463
Ischemia causes muscle fatigue, 436
Letter to the editor: Effects of isokinetic muscle activity on pressure in the supraspinatus muscle and shoulder torque, 337
Quadriceps protects the anterior cruciate ligament, 629
The gastrocnemius muscle is an antagonist of the anterior cruciate ligament, 1178
Viability of ischemia/reperfused muscles in rat: a new evaluation method by RNA degradation, 559

Musculoskeletal

Detection of c-*fos* expression in benign and malignant musculoskeletal lesions, 339
Expression of a newly defined tumor-rejection antigen SART3 in musculoskeletal tumors and induction of HLA class I-restricted cytotoxic T lymphocytes by SARTS-derived peptides, 346

Myelopathy

A new rabbit model for the study on cervical compressive myelopathy, 605

Myoblast

Analysis of changes in mRNA levels of myoblast- and fibroblast-derived gene products in healing skeletal muscle using quantitative reverse transcription-polymerase chain reaction, 565

Nailing

Spread of infection, in an animal model, after intramedullary nailing of an infected external fixator pin track, 155
Stress analysis of the distal locking screws for femoral interlocking nailing, 57

Necrosis

Chondrocyte necrosis and apoptosis in impact damaged articular cartilage, 703

Nerve

Immunohistochemical demonstration of nerve fibers in the synovial fold of the human cervical facet joint, 593
On the applicability of two different stimulation techniques for intra-operative peroneal nerve conduction testing, 160
Origin and pathway of sensory nerve fibers to the ventral and dorsal sides of the sacroiliac joint in rats, 379
Osteoprotegerin ameliorates sciatic nerve crush induced bone loss, 518
Peripheral nerve lengthening by controlled isolated distraction: a new animal model, 70

Neutrophil

Neutrophils and macrophages accumulate sequentially following Achilles tendon injury, 1203

Nitric oxide

Chondrocyte apoptosis and regional differential expression of nitric oxide in the medial meniscus following partial meniscectomy, 802
Cyclic tensile stretch inhibition of nitric oxide release from osteoblast-like cells is both G protein and actin-dependent, 126
Hyaluronan suppressed nitric oxide production in the meniscus and synovium of rabbit osteoarthritis model, 500
Temporal expression of nitric oxide synthase isoforms in healing Achilles tendon, 136
The effects of static and intermittent compression on nitric oxide production in articular cartilage explants, 729

NKISK

The effect of NKISK on tendon in an in vivo model, 858

NMDAR1

In vivo microdialysis and immunohistochemical analyses of tendon tissue demonstrated high amounts of free glutamate and glutamate NMDAR1 receptors, but no signs of inflammation, in Jumper's knee, 881

Nucleus pulposus

Characterization of nucleus pulposus-like tissue formed in vitro, 1078
Roles of thromboxane A_2 and leukotriene B_4 in radicular pain induced by herniated nucleus pulposus, 472

Oncogene

Detection of c-*fos* expression in benign and malignant musculoskeletal lesions, 339

Oophorectomy

Effects of oophorectomy on functional properties of resistance arteries isolated from the cancellous bone of the rabbit femur, 391

Organ culture

The enhancement of periosteal chondrogenesis in organ culture by dynamic fluid pressure, 524

Orthopaedic

Fibroblast expression of C–C chemokines in response to orthopaedic biomaterial particle challenge in vitro, 970
The contribution of MD–Ph.D. training to academic orthopaedic faculties, 505

Osmosis

Direction-dependent resistance to flow in the endplate of the intervertebral disc: an ex vivo study, 1073
The osmotic sensitivity of isolated and in situ bovine articular chondrocytes, 768

Osseointegration

Differences in osseointegration rate due to implant surface geometry can be explained by local tissue strains, 187

Osteoarthritis

Hyaluronan suppressed nitric oxide production in the meniscus and synovium of rabbit osteoarthritis model, 500

Osteoarthrosis

Degradation of the cartilage collagen matrix associated with changes in chondrocytes in osteoarthrosis. Assessment by loss of background fluorescence and immunodetection of matrix components, 33

Osteoblast

Age- and gender-related changes in the cellularity of human bone marrow and the prevalence of osteoblastic progenitors, 117
Cyclic tensile stretch inhibition of nitric oxide release from osteoblast-like cells is both G protein and actin-dependent, 126
Early cell adhesion events differ between osteoporotic and non-osteoporotic osteoblasts, 993
Effect of polymer molecular weight and addition of calcium stearate on response of MG63 osteoblast-like cells to UHMWPE particles, 179
Immature osteoblastic cells express the pro-α2(XI) collagen gene during bone formation in vitro and in vivo, 1013
Toxic effect of rifampicin on human osteoblast-like cells, 950

Osteocalcin

Weight-bearing alters the expression of collagen types I and II, BMP 2/4 and osteocalcin in the early stages of distraction osteogenesis, 1049

Osteochondroma

Involvement of BMP-2 signaling in a cartilage cap in osteochondroma, 1085

Osteoclastogenesis

Pamidronate decreases tumor-induced osteoclastogenesis in osteopetrotic mice, 554

Osteocompatibility

Tissue reactions to particles of bone-substitute materials in intraosseous and heterotopic sites in rats: discrimination of osteoinduction, osteocompatibility, and inflammation, 962

Osteogenesis

Alteration of fracture stability influences chondrogenesis, osteogenesis and immigration of macrophages, 531

Development of tensile strength during distraction osteogenesis in a rat model, 64

Muscle adaptation during distraction osteogenesis in skeletally immature and mature rabbits, 897

The effect of aging on distraction osteogenesis in the rat, 421

Weight-bearing alters the expression of collagen types I and II, BMP 2/4 and osteocalcin in the early stages of distraction osteogenesis, 1049

Osteoinduction

Tissue reactions to particles of bone-substitute materials in intraosseous and heterotopic sites in rats: discrimination of osteoinduction, osteocompatibility, and inflammation, 962

Osteolysis

Rapid repair of titanium particle-induced osteolysis is dramatically reduced in aged mice, 171

The evaluation of a rat model for the analysis of densitometric and biomechanical properties of tumor-induced osteolysis, 200

Osteomyelitis

A simple infection model using pre-colonized implants to reproduce rat chronic *Staphylococcus aureus* osteomyelitis and study antibiotic treatment, 820

Osteopetrosis

Pamidronate decreases tumor-induced osteoclastogenesis in osteopetrotic mice, 554

Osteophyte

Contribution of disc degeneration to osteophyte formation in the cervical spine: a biomechanical investigation, 977

Osteoporosis

An expandable anchor for fixation in osteoporotic bone, 545

Calcitonin release system in the treatment of experimental osteoporosis. Histomorphometric evaluation, 955

Early cell adhesion events differ between osteoporotic and non-osteoporotic osteoblasts, 993

Osteoprotegerin

Osteoprotegerin ameliorates sciatic nerve crush induced bone loss, 518

Osteosarcoma

Osteosarcoma cell apoptosis induced by selenium, 809

Ovariectomy

Age and ovariectomy impair both the normalization of mechanical properties and the accretion of mineral by the fracture callus in rats, 428

The effect of ovariectomy and ovarian steroid treatment on growth hormone and insulin-like growth factor-I levels in the rat femur, 1008

Oxygen

The effects of reduced oxygen tension on cell proliferation and matrix synthesis in synovium and tendon explants from the rabbit carpal tunnel: an experimental study in vitro, 143

Pain

Roles of thromboxane A_2 and leukotriene B_4 in radicular pain induced by herniated nucleus pulposus, 472

Pamidronate

Pamidronate decreases tumor-induced osteoclastogenesis in osteopetrotic mice, 554

Patellofemoral joint

Injuries produced by blunt trauma to the human patellofemoral joint vary with flexion angle of the knee, 827

Q-angle influences tibiofemoral and patellofemoral kinematics, 834

Penicillamine

DL-penicillamine induced alteration of elastic fibers of periosteum–perichondrium and associated growth inhibition: an experimental study, 398

Peptide

Expression of a newly defined tumor-rejection antigen SART3 in musculoskeletal tumors and induction of HLA class I-restricted cytotoxic T lymphocytes by SARTS-derived peptides, 346

Perichondrium

DL-penicillamine induced alteration of elastic fibers of periosteum–perichondrium and associated growth inhibition: an experimental study, 398

Periosteum

DL-penicillamine induced alteration of elastic fibers of periosteum–perichondrium and associated growth inhibition: an experimental study, 398

Histomorphological and proliferative characterization of developing periosteal neochondrocytes in vitro, 405

The chondrogenic potential of periosteum decreases with age, 95

The enhancement of periosteal chondrogenesis in organ culture by dynamic fluid pressure, 524

Phospholipid

Phospholipid composition of articular cartilage boundary lubricant, 671

Physis

Tensile properties of the physis vary with anatomic location, thickness, strain rate and age, 1043

Polymer

Effect of polymer molecular weight and addition of calcium stearate on response of MG63 osteoblast-like cells to UHMWPE particles, 179

Pressure

The enhancement of periosteal chondrogenesis in organ culture by dynamic fluid pressure, 524

Procollagen

Healing of full-thickness tears of avian supracoracoid tendons: in situ hybridization of α1(I) and α1(III) procollagen mRNA, 862

Immature osteoblastic cells express the pro-α2(XI) collagen gene during bone formation in vitro and in vivo, 1013

Type I and type III procollagen gene expressions in the early phase of ligament healing in rabbits: an in situ hybridisation study, 132

Prosthesis

The effect of component placement on knee kinetics after arthroplasty with an unconstrained prosthesis, 614

Protease

Effects of hydroxyapatite particulate debris on the production of cytokines and proteases in human fibroblasts, 621

Proteoglycan

Proteoglycans and glycosaminoglycan fine structure in the mouse tail tendon fascicle, 269

Suppression of fibrous adhesion by proteoglycan decorin, 456

Pseudarthrosis

Mechanobiology of initial pseudarthrosis formation with oblique fractures, 1067

***Q*-angle**

Q-angle influences tibiofemoral and patellofemoral kinematics, 834

Quadriceps

Quadriceps protects the anterior cruciate ligament, 629

Radiosteriometry

Accuracy and precision of radiostereometric analysis in the measurement of THR femoral component translations: human and canine in vitro models, 1162

Deformation across the zone of callotasis during loading. Radiostereometric analysis in a patient with achondroplasia, 265

Reconstruction

pN collagen type III within tendon grafts used for anterior cruciate ligament reconstruction, 852

The effect of recombinant human bone morphogenetic protein-2 on femoral reconstruction with an intercalary allograft in a dog model, 308

The relationship between graft tensioning and the anterior–posterior laxity in the anterior cruciate ligament reconstructed goat knee, 841

Remodeling

Histomorphometric description of allograft bone remodeling and union in a canine segmental femoral defect model: a comparison of rhBMP-2, cancellous bone graft, and absorbable collagen sponge, 318
Subchondral bone thickness, hardness and remodelling are influenced by short-term exercise in a site-specific manner, 1035

Repair

BMP-12 gene transfer augmentation of lacerated tendon repair, 1199
Gliding characteristics of tendon repair in canine flexor digitorum profundus tendons, 580
Insulin-like growth factor-I gene expression patterns during spontaneous repair of acute articular cartilage injury, 720
Integrative cartilage repair: adhesive strength is correlated with collagen deposition, 1105
Integration of engineered cartilage, 1089
Meniscal repair using engineered tissue, 278
Rapid repair of titanium particle-induced osteolysis is dramatically reduced in aged mice, 171

Retinoic acid

Both retinoic acid and 1,25$(OH)_2$ vitamin D_3 inhibit thyroid hormone-induced terminal differentiation of growth plate chondrocytes, 43

Rifampicin

Toxic effect of rifampicin on human osteoblast-like cells, 950

Risk

Ankle ligament injury risk factors: a prospective study of college athletes, 213

RNA

Isolation of RNA from small human articular cartilage specimens allows quantification of mRNA expression levels in local articular cartilage defects, 478
Viability of ischemia/reperfused muscles in rat: a new evaluation method by RNA degradation, 559

Rotation

Functional roles of abdominal and back muscles during isometric axial rotation of the trunk, 463

Rotator cuff

Biochemical markers in the synovial fluid of glenohumeral joints from patients with rotator cuff tear, 573
Carrageenan-induced subacromial bursitis caused changes in the rat's rotator cuff, 441
The presence of smooth muscle actin in fibroblasts in the torn human rotator cuff, 221

RT-PCR

Analysis of changes in mRNA levels of myoblast- and fibroblast-derived gene products in healing skeletal muscle using quantitative reverse transcription-polymerase chain reaction, 565

Sacroiliac joint

Origin and pathway of sensory nerve fibers to the ventral and dorsal sides of the sacroiliac joint in rats, 379

SART

Expression of a newly defined tumor-rejection antigen SART3 in musculoskeletal tumors and induction of HLA class I-restricted cytotoxic T lymphocytes by SARTS-derived peptides, 346

Sciatic nerve

Osteoprotegerin ameliorates sciatic nerve crush induced bone loss, 518

Screw

Stress analysis of the distal locking screws for femoral interlocking nailing, 57

Selenium

Osteosarcoma cell apoptosis induced by selenium, 809

Shoulder

Dynamic contributions to superior shoulder stability, 206
Letter to the editor: Effects of isokinetic muscle activity on pressure in the supraspinatus muscle and shoulder torque, 337
Three-dimensional analysis of shoulder girdle and supraspinatus motion patterns in patients with impingement syndrome, 1192

Signal transduction pathway

Signal transduction pathways and apoptosis in bacteria infected chondrocytes, 696

Smooth muscle actin

Distribution of smooth muscle actin-containing cells in the human meniscus, 659
Regional variations in certain cellular characteristics in human lumbar intervertebral discs, including the presence of α-smooth muscle actin, 597
Smooth muscle actin expression by human articular chondrocytes and their contraction of a collagen–glycosaminoglycan matrix in vitro, 233
The presence of smooth muscle actin in fibroblasts in the torn human rotator cuff, 221

Spine

Characterization of cultured human ligamentum flavum cells in lumbar spine stenosis, 294
Contribution of disc degeneration to osteophyte formation in the cervical spine: a biomechanical investigation, 977

Staphylococcus

A simple infection model using pre-colonized implants to reproduce rat chronic *Staphylococcus aureus* osteomyelitis and study antibiotic treatment, 820

Stem cell

Chondrocytic differentiation of mesenchymal stem cells sequentially exposed to transforming growth factor-β1 in monolayer and insulin-like growth factor-I in a three-dimensional matrix, 738

Stenosis

Characterization of cultured human ligamentum flavum cells in lumbar spine stenosis, 294

Steroids

Corticosteroids alter the differentiated phenotype of articular chondrocytes, 688
The effect of ovariectomy and ovarian steroid treatment on growth hormone and insulin-like growth factor-I levels in the rat femur, 1008
Use of synovial fluid markers of cartilage synthesis and turnover to study effects of repeated intra-articular administration of methylprednisolone acetate on articular cartilage in vivo, 250

Strain

Biosynthetic response and mechanical properties of articular cartilage after injurious compression, 1140
Deformation and rupture of the articular surface under dynamic and static compression, 1131
Differences in osseointegration rate due to implant surface geometry can be explained by local tissue strains, 187
Matrix and cell injury due to sub-impact loading of adult bovine articular cartilage explants: effects of strain rate and peak stress, 242
Tensile properties of the physis vary with anatomic location, thickness, strain rate and age, 1043
The material properties of the bovine acetabular labrum, 887
Trabecular bone strain changes associated with cartilage defects in the proximal and distal tibia, 906

Stress

Altering ligament water content affects ligament pre-stress and creep behaviour, 845
Matrix and cell injury due to sub-impact loading of adult bovine articular cartilage explants: effects of strain rate and peak stress, 242
Stress analysis of the distal locking screws for femoral interlocking nailing, 57
The material properties of the bovine acetabular labrum, 887
The prediction of stress fractures using a 'stressed volume' concept, 919

Stretch

Cell alignment is induced by cyclic changes in cell length: studies of cells grown in cyclically stretched substrates, 286
Cyclic tensile stretch inhibition of nitric oxide release from osteoblast-like cells is both G protein and actin-dependent, 126

Superficial zone protein (SZP)

Homology of lubricin and superficial zone protein (SZP): products of megakaryocyte stimulating factor (MSF) gene expression by human synovial fibroblasts and articular chondrocytes localized to chromosome 1q25, 677

Supraspinatus

Letter to the editor: Effects of isokinetic muscle activity on pressure in the supraspinatus muscle and shoulder torque, 337
Three-dimensional analysis of shoulder girdle and supraspinatus motion patterns in patients with impingement syndrome, 1192

Surgery

The effect of surgical dissections on blood flow to the tibial tubercle, 113

Synovial fluid

Biochemical markers in the synovial fluid of glenohumeral joints from patients with rotator cuff tear, 573
Use of synovial fluid markers of cartilage synthesis and turnover to study effects of repeated intra-articular administration of methylprednisolone acetate on articular cartilage in vivo, 250

Synovium

Gene mediated insulin-like growth factor-I delivery to the synovium, 759
Homology of lubricin and superficial zone protein (SZP): products of megakaryocyte stimulating factor (MSF) gene expression by human synovial fibroblasts and articular chondrocytes localized to chromosome lq25, 677
Hyaluronan suppressed nitric oxide production in the meniscus and synovium of rabbit osteoarthritis model, 500
Immunohistochemical demonstration of nerve fibers in the synovial fold of the human cervical facet joint, 593
The effects of reduced oxygen tension on cell proliferation and matrix synthesis in synovium and tendon explants from the rabbit carpal tunnel: an experimental study in vitro, 143

Tendon

Autonomic innervation of tendons, ligaments and joint capsules. A morphologic and quantitative study in the rat, 372
BMP-12 gene transfer augmentation of lacerated tendon repair, 1199
Early anchoring collagen fibers at the bone–tendon interface are conducted by woven bone formation: light microscope and scanning electron microscope observation using a canine model, 873
GDF-5 deficiency in mice alters the ultrastructure, mechanical properties and composition of the Achilles tendon, 365
Gliding characteristics of tendon repair in canine flexor digitorum profundus tendons, 580
Healing of full-thickness tears of avian supracoracoid tendons: in situ hybridization of zI(I) and zI(III) procollagen mRNA, 862
In vivo microdialysis and immunohistochemical analyses of tendon tissue demonstrated high amounts of free glutamate and glutamate NMDAR1 receptors, but no signs of inflammation, in Jumper's knee, 881
Neutrophils and macrophages accumulate sequentially following Achilles tendon injury, 1203
pN collagen type III within tendon grafts used for anterior cruciate ligament reconstruction, 852
Proteoglycans and glycosaminoglycan fine structure in the mouse tail tendon fascicle, 269
Quantitative variation in vascular endothelial growth factor mRNA expression during early flexor tendon healing: an investigation in a canine model, 869
Temporal expression of nitric oxide synthase isoforms in healing Achilles tendon, 136
The effect of NKISK on tendon in an in vivo model, 858
The effects of reduced oxygen tension on cell proliferation and matrix synthesis in synovium and tendon explants from the rabbit carpal tunnel: an experimental study in vitro, 143

Tensile strength

Development of tensile strength during distraction osteogenesis in a rat model, 64

Thromboxane

Roles of thromboxane A_2 and leukotriene B_4 in radicular pain induced by herniated nucleus pulposus, 472

Thymidine

Gadolinium inhibits thymidine incorporation and induces apoptosis in chondrocytes, 797

Tibia

Inducible displacements of cemented tibial components during weight-bearing and knee extension, 1168
The effect of surgical dissections on blood flow to the tibial tubercle, 113
The effect of tibial lengthening using the Ilizarov method on the cartilage and the menisci of the knee joint, 665
Trabecular bone strain changes associated with cartilage defects in the proximal and distal tibia, 906

Tibiofemoral joint

A new device to measure knee laxity during weightbearing and non-weightbearing conditions, 1185
Q-angle influences tibiofemoral and patellofemoral kinematics, 834

Tissue culture

Both retinoic acid and $1,25(OH)_2$ vitamin D_3 inhibit thyroid hormone-induced terminal differentiation of growth plate chondrocytes, 43
Chondrocytic differentiation of mesenchymal stem cells sequentially exposed to transforming growth factor-β1 in monolayer and insulin-like growth factor-I in a three-dimensional matrix, 738
Collagen gene expression and mechanical properties of intervertebral disc cell-alginate cultures, 2
Cytokine regulation of cartilage-derived retinoic acid-sensitive protein (CD-RAP) in primary articular chondrocytes: suppression by IL-1, bfGF, TGFβ and stimulation by IGF-1, 712
Enhanced matrix synthesis and in vitro formation of cartilage-like tissue by genetically modified chondrocytes expressing BMP-7, 751
Induction of apoptosis in chondrocytes by tumor necrosis factor-alpha, 785
Low-intensity ultrasound stimulates endochondral ossification in vitro, 301
Smooth muscle actin expression by human articular chondrocytes and their contraction of a collagen–glycosaminoglycan matrix in vitro, 233
The extent of matrix damage and chondrocyte death in mechanically traumatized articular cartilage explants depends on rate of loading, 779

Tissue engineering

Controlled-release of IGF-I and TGF-β1 in a photopolymerizing hydrogel for cartilage tissue engineering, 1098
Enhanced matrix synthesis and in vitro formation of cartilage-like tissue by genetically modified chondrocytes expressing BMP-7, 751
Integration of engineered cartilage, 1089
Meniscal repair using engineered tissue, 278

Thyroid hormone

Both retinoic acid and $1,25(OH)_2$ vitamin D_3 inhibit thyroid hormone-induced terminal differentiation of growth plate chondrocytes, 43

T-lymphocyte

Expression of a newly defined tumor-rejection antigen SART3 in musculoskeletal tumors and induction of HLA class I-restricted cytotoxic T lymphocytes by SARTS-derived peptides, 346

Toxicity

Toxic effect of rifampicin on human osteoblast-like cells, 950

Training

The contribution of MD–Ph.D. training to academic orthopaedic faculties, 505

Transforming growth factor

Chondrocytic differentiation of mesenchymal stem cells sequentially exposed to transforming growth factor-β1 in monolayer and insulin-like growth factor-I in a three-dimensional matrix, 738
Controlled-release of IGF-I and TGF-β1 in a photopolymerizing hydrogel for cartilage tissue engineering, 1098
Cytokine regulation of cartilage-derived retinoic acid-sensitive protein (CD-RAP) in primary articular chondrocytes: suppression by IL-1, bfGF, TGFβ and stimulation by IGF-1, 712
Locally delivered rhTGF-β_2 enhances bone ingrowth and bone regeneration at local and remote sites of skeletal injury, 85

Trauma

Injuries produced by blunt trauma to the human patellofemoral joint vary with flexion angle of the knee, 827
The extent of matrix damage and chondrocyte death in mechanically traumatized articular cartilage explants depends on rate of loading, 779

Trunk

Functional roles of abdominal and back muscles during isometric axial rotation of the trunk, 463

Tumor

Alterations in the regulatory pathway involving p16, pRb and cdk4 in human chondrosarcoma, 149
Expression of a newly defined tumor-rejection antigen SART3 in musculoskeletal tumors and induction of HLA class I-restricted cytotoxic T lymphocytes by SARTS-derived peptides, 346
Involvement of BMP-2 signaling in a cartilage cap in osteochondroma, 1085
Osteosarcoma cell apoptosis induced by selenium, 809
Pamidronate decreases tumor-induced osteoclastogenesis in osteopetrotic mice, 554
The evaluation of a rat model for the analysis of densitometric and biomechanical properties of tumor-induced osteolysis, 200

Tumor necrosis factor

Induction of apoptosis in chondrocytes by tumor necrosis factor-alpha, 785

Tumor-rejection antigen

Expression of a newly defined tumor-rejection antigen SART3 in musculoskeletal tumors and induction of HLA class I-restricted cytotoxic T lymphocytes by SARTS-derived peptides, 346

Ultrasound

Enhancement of bone growth into porous intramedullary implants using non-invasive low intensity ultrasound, 195
Low-intensity ultrasound stimulates endochondral ossification in vitro, 301

Ultrastructure

GDF-5 deficiency in mice alters the ultrastructure, mechanical properties and composition of the Achilles tendon, 365
Proteoglycans and glycosaminoglycan fine structure in the mouse tail tendon fascicle, 269

Union

Histomorphometric description of allograft bone remodeling and union in a canine segmental femoral defect model: a comparison of rhBMP-2, cancellous bone graft, and absorbable collagen sponge, 318

Vascular endothelial growth factor

Quantitative variation in vascular endothelial growth factor mRNA expression during early flexor tendon healing: an investigation in a canine model, 869
Vascular endothelial growth factor (VEGF) expression in the subacromial bursa is increased in patients with impingement syndrome, 448

Vascular response

Effects of oophorectomy on functional properties of resistance arteries isolated from the cancellous bone of the rabbit femur, 391
Vascular response of the meniscus to injury: effects of immobilization, 384

Verapamil

No effect of verapamil on the local bone response to in vivo mechanical loading, 328

Virus

Gamma irradiation of HIV-1, 815

Vitamin D

Both retinoic acid and 1,25$(OH)_2$ vitamin D_3 inhibit thyroid hormone-induced terminal differentiation of growth plate chondrocytes, 43

Weight-bearing

A new device to measure knee laxity during weightbearing and non-weightbearing conditions, 1185
Inducible displacements of cemented tibial components during weight-bearing and knee extension, 1168
Weight-bearing alters the expression of collagen types I and II, BMP 2/4 and osteocalcin in the early stages of distraction osteogenesis, 1049